

Patient Compliance of Type 2 Diabetes Mellitus Medication at General Hospital in Maros South Sulawesi

by Pdti Turnitin

Submission date: 17-Oct-2023 12:26PM (UTC+0800)

Submission ID: 2198289377

File name: Azizah.pdf (83.03K)

Word count: 317

Character count: 1989

Universitas Indonesia Conferences, Asian Federation for Pharmaceutical Sciences (AFPS) 2019

- Home (<http://conference.ui.ac.id/index/index/index/index>)
- About (<http://conference.ui.ac.id/afps/AFPS-ICAPPS2019/about>)
- Log In (<http://conference.ui.ac.id/afps/AFPS-ICAPPS2019/login>)
- Account (<http://conference.ui.ac.id/afps/AFPS-ICAPPS2019/user/account>)
- Search (<http://conference.ui.ac.id/afps/AFPS-ICAPPS2019/search>)
- Archive (<http://conference.ui.ac.id/afps/index/schedConfs/archive>)
- Submission (<http://conference.ui.ac.id/afps/AFPS-ICAPPS2019/author/submit>)

Home (<http://conference.ui.ac.id/afps/AFPS-ICAPPS2019/index>) >
AFPS-ICAPPS (<http://conference.ui.ac.id/afps/>) >
Asian Federation for Pharmaceutical Sciences (AFPS) 2019 (<http://conference.ui.ac.id/afps/AFPS-ICAPPS2019/i>)
>
Clinical pharmacy & Social Administrative Pharmacy (<http://conference.ui.ac.id/afps/AFPS-ICAPPS2019/schedCo>)
> **Azizah** (<http://conference.ui.ac.id/afps/AFPS-ICAPPS2019/paper/view/23037/0>)

Font Size:

Patient Compliance of Type 2 Diabetes Mellitus Medication at General Hospital in Maros South Sulawesi
Rizqi Nur Azizah, Hendra Herman, Haldi Nugraha

Last modified: 2019-06-15

Abstract

Background: Patient compliance is an important factor to achieve treatment outcomes, especially for long term medication such as in diabetes mellitus. **Objective:** The purpose of This study is to provide an overview of patient compliance at general hospital in Maros South Sulawesi. **Materials and Methods:** Thirty participants who meet criteria were enrolled in this study. Data were obtained prospectively. Participants were interviewed using MMAS-8 (Morisky Medication Adherence Scale-8) questionnaire. **Results:** The results showed that Low level compliance were 30%, Moderate 43,3%, and high 23,67%. Age and duration of Diabetes Mellitus Type 2 were given significant result between compliance level ($p<0,05$). Other factors like Gender, Education level, Occupation, Diet status, Activity, comorbidity, and drug regimen were no influence in compliance ($p>0,05$) **Conclusion:** The majority compliance among participant were moderate (43,3%). Age and Duration of DMT2 were the factor influenced in compliance.

Key words: Compliance, Diabetes Mellitus type 2, MMAS-8

Patient Compliance of Type 2 Diabetes Mellitus Medication at General Hospital in Maros South Sulawesi

ORIGINALITY REPORT

4%

SIMILARITY INDEX

4%

INTERNET SOURCES

0%

PUBLICATIONS

0%

STUDENT PAPERS

MATCH ALL SOURCES (ONLY SELECTED SOURCE PRINTED)

4%

★ repository.bku.ac.id

Internet Source

Exclude quotes On

Exclude matches Off

Exclude bibliography On